



## SAFETY DATA SHEET

### LABEL REMOVER

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME	LABEL REMOVER		
PRODUCT NO.	6190012000		
SUPPLIER	CRC Industries UK Ltd. Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, UK, TA6 4DD +44 (0)1278 727200 +44 (0)1278 425644	MANUFACTURER	CRC Industries UK Ltd. Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater, Somerset, UK, TA6 4DD +44 (0)1278 727200 +44 (0)1278 425644
EMERGENCY TELEPHONE	+44 (0)1278 727200		

<p>Supplied by:  <b>RS Components Ltd.</b>          Birchington Road, Corby, Northants, NN17 9RS.          Tel: (01536) 402888</p>
--

#### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY	265-150-3	64742-48-9	30-60%	Xn;R65. R10,R66.
ORANGE TERPENES	232-433-8	8028-48-6	10-30%	Xn;R65. Xi;R38. R10,R52/53.
BUTANE	203-448-7	106-97-8	10-30%	F+;R12

The Full Text for all R-Phrases are Displayed in Section 16

#### 3 HAZARDS IDENTIFICATION

Extremely flammable. Irritating to skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION Xi;R38. F+;R12. R52/53.

#### 4 FIRST-AID MEASURES

##### INHALATION

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

##### INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

##### SKIN CONTACT

Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

##### EYE CONTACT

Rinse the eye with water immediately. Get medical attention if any discomfort continues.

#### 5 FIRE-FIGHTING MEASURES

##### EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide or dry powder.

##### SPECIFIC HAZARDS

Oxides of: Carbon.

##### PROTECTIVE MEASURES IN FIRE

In the event of fire protect against exploding cans. Water spray may be used to cool aerosol cans.

#### 6 ACCIDENTAL RELEASE MEASURES

REVISION DATE: 01.03.05

## LABEL REMOVER

### SPILL CLEAN UP METHODS

This product is a hermetically sealed pressurised aerosol unit and accidental spillage is unlikely. If can is ruptured, allow contents to discharge in situ, whilst removing all ignition sources from the area and ensuring maximum ventilation. Use an absorbent material, eg sand, to mop up residues. See section 13 'Disposal Considerations'.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Do not spray on a naked flame or any incandescent material.

### STORAGE PRECAUTIONS

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. It is recommended that aerosols are stored in their own location away from bulk flammable liquids and packaging materials. Store in a cool, dry place away from heat and ignition sources.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
BUTANE	OES	600 ppm	1450 mg/m3	750 ppm	1810 mg/m3
NAPHTHA (PETROLEUM) HYDROTREATED HEAVY			1000 mg/m3		

### INGREDIENT COMMENTS

OES = Occupational Exposure Standard.

### ENGINEERING MEASURES

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

### OTHER PROTECTION

Wear appropriate clothing to prevent skin contamination or freezing.

### HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DATA COMMENTS      Not applicable - Product is a hermetically sealed aerosol unit.

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions and recommended use.

## 11 TOXICOLOGICAL INFORMATION

### GENERAL INFORMATION

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this product. Health hazards associated with aerosols are considered to be limited due to their hermetically sealed nature.

### INHALATION

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

### INGESTION

Harmful if swallowed.

### SKIN CONTACT

Irritating to skin.

### EYE CONTACT

Irritating to eyes.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

An ecotoxicity study of this product has not been conducted. The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

## 13 DISPOSAL CONSIDERATIONS

REVISION DATE: 01.03.05

**LABEL REMOVER**

## DISPOSAL METHODS

Recycle empty containers if facilities are available. Dispose of in accordance with local authority recommendations.

**14 TRANSPORT INFORMATION**

PROPER SHIPPING NAME	AEROSOLS		
UN NO. ROAD	1950	ADR CLASS NO.	5F
ADR CLASS	Class 2: Gases	UN NO. SEA	1950
IMDG CLASS	2.1	UN NO. AIR	1950
ICAO CLASS	2.1		

**15 REGULATORY INFORMATION**

## LABELLING



Irritant

Extremely  
Flammable

## RISK PHRASES

R12	Extremely flammable.
R38	Irritating to skin.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## SAFETY PHRASES

S2	Keep out of the reach of children
S16	Keep away from sources of ignition - No smoking.
S23	Do not breathe vapour/spray.
S24	Avoid contact with skin.
S51	Use only in well-ventilated areas.

## UK REGULATORY REFERENCES

Chemicals (Hazard Information &amp; Packaging) Regulations.

## EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EEC.

## APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

## GUIDANCE NOTES

Occupational Exposure Limits EH40.

**16 OTHER INFORMATION**

## INFORMATION SOURCES

British Aerosol Manufacturers Association Code of Practice.

REVISION DATE 01.03.05

REV. NO./REPL. SDS GENERATED 2

DATE 01.10.99

## RISK PHRASES IN FULL

R10	Flammable.
R12	Extremely flammable.
R38	Irritating to skin.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

**LABEL REMOVER**

## DISCLAIMER

The purpose of the above information is to describe this product only in terms of Health and Safety requirements. The information given therefore, should not be construed as guaranteeing specific properties or specification. Customers should satisfy themselves as to the suitability and completeness of this information for their own particular use, bearing in mind any other Health and Safety legislation or regulations. , The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is construed as a warranty or representation. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.